00

(19) World Intellectual Property Organization

International Bureau



(43) International Publication Date 8 January 2004 (08.01.2004)

PCT

(10) International Publication Number

(51) International Patent Classification7:

H04N 5/14,

WO 2004/004318 A1

5/21, 5/46

(21) International Application Number:

PCT/US2003/019940

(25) Filing Language:

(22) International Filing Date:

26 June 2003 (26.06.2003)

English

(26) Publication Language:

English

(30) Priority Data: 60/392,293

27 June 2002 (27.06.2002) US

- (71) Applicant (for all designated States except US): THOM-SON LICENSING S.A. [FR/FR]; 46, Quai A. Le Gallo, F-92648 Boulogne (FR).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): KNOX, Michael, Dwayne [US/US]; 8526 Babson Court, Fishers, IN 46038 (US).
- (74) Agents: TRIPOLI, Joseph, S. et al.; c/o Thomson Licensing Inc., Two Independence Way, Suite #200, Princeton, NJ 08540 (US).


- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: METHOD AND SYSTEM FOR DETECTING AND PERFORMING AUTOMATIC BANK SWITCHING FOR A FIL-TER COEFFICIENT RAM



(57) Abstract: A method for facilitating a dual-bank filter coefficient RAM designed to switch banks automatically during the vertical blanking interval in a television application. The method and system of the present invention allows a micro controller to program a new set of filter coefficients in the memory bank not currently being used, automatically detect when all the coefficients have been written and then automatically switch banks during the vertical blanking interval in the television application.

